



PHILIPPINE INSTITUTE FOR DEVELOPMENT STUDIES  
18<sup>th</sup> Floor Three Cyberpod Centris-North Tower EDSA Quezon City  
Tel No. 8877-4013/4006 : Fax 8877-4099 : TIN # 000-844-550

REQUEST FOR QUOTATION

Date: July 01, 2024  
Reference No (PR No.): 2024-205

To All Interested Bidders:

This is to request for quotation on the PIDS procurement requirement enumerated hereunder. If you are interested and, in a position, to furnish the same, we shall be glad to have your best price, terms and conditions of delivery, submitted not later than **08 July 2024 (4:00PM)** addressed to the *Procurement Management Division of the Administrative and Finance Department* at the abovementioned address. PIDS reserves the right to reject any and/or all bids, declare failure of bidding, or not award the contract under the conditions specified in Section 41 of the 2016 Revised IRR of RA 9184.

The price quotation/s, to be denominated in Philippine peso, **shall include all applicable taxes, duties, and/or levies payable.**

Very truly yours,

  
July R. Suing  
CAO, Procurement Management Division

Item	Qty	UOM	Articles/Description	Unit Cost	Total Cost
1	1	pc	Supply and Delivery of Color Laserjet Network Printer.  See Attached Specification. ABC – Php345,000.00		
Requirements: <ul style="list-style-type: none"> <li>Valid Mayor's/Business Permit</li> <li>PhilGEPS Registration No. (if <b>PhilGEPS Platinum Certificate</b> is provided, Mayor's/Business Permit is no longer required, as long as the attached permit in the Certificate is valid.)</li> <li>Notarized Omnibus Sworn Statement.</li> </ul>					

The price and details of the above offer are certified correct:

_____ Name of Firm ( <i>Bidder</i> )	_____ Signature over Printed Name of <i>Bidder's Representative</i>
_____ Address	_____ Business Permit No.
_____ Telephone and/or Mobile No.	_____ Tax Identification Number ( <i>TIN</i> )
_____ Email Address	_____ PhilGEPS Registration Number

Note: PIDS is evaluating its supplier's performance based on the quality of services rendered or goods delivered, timeliness of delivery, customer/after sales service and overall quality of service.

# Color LaserJet Network Printer Technical Specifications – 1 Unit

Functions	Print
Print Speed – Black (Normal)	Up to 56ppm
Print Speed – Color (Normal)	Up to 56 ppm
First Page Out (Ready) Black	As fast as 5.9 sec.
First Page Out (Ready) Color	As fast as 6.3 sec.
Resolution (Black)	Up to 1200 x 1200 dpi
Resolution (Color)	Up to 1200 x 1200 dpi
Resolution Technology	ImageREt 4800, Enhanced (600 x 600 dpi), Fine Lines (1200 x 1200 dpi), Quickview (300 x 300 dpi), Pantone Calibrated
Monthly Duty Cycle	Up to 250,000 pages; Recommended monthly page volume: Up to 50,000 pages
Print Technology	Laser
Display	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)
Processor Speed	1.2 GHz
Number of Print Cartridges	4 Toner Cartridges (1 each for black, cyan, magenta, yellow)
Print Languages	PCL 6, PCL 5, Postscript Level 3 Emulation, Native PDF Printing (v 1.7), Apple AirPrint, Google Cloud Print
Automatic Paper Sensor	Yes
Paper Trays, Standard	2
Paper Trays, Maximum	6
Mobile Printing Capability	ePrint, Apple AirPrint, Google Cloud Print, Mopria Certified
Connectivity, Standard	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2)
Security Management	Management security: SNMPv3, Web Services over port 7627, SSL/TLS TLS 1.0/1.1/1.2, FIPS 140-2, Certificate Management, Embedded Web Server, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
Minimum System Requirements	At least 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com 2 GB available hard disk space, Internet connection, USB port, Internet browser.
Compatible Operating Systems	Windows 11; Windows Client OS; Windows 10; Windows 8.1; Windows 7; Mobile OS; iOS; Android; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina
Memory	At least 1.5GB to up to 3.5GB; or equivalent/better
Printer Management	Printer Assistant; Device Toolbox; Web JetAdmin Software; JetAdvantage Security Manager; SNMP Proxy Agent; WS Pro Proxy Agent; Printer Administrator Resource Kit for Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Supported Network Protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, Syslog; Security: SNMPv3, SSL Cert Management, IPsec/Firewall, ACL, 802.1x
Paper Handling Input, Standard	100-sheet multipurpose tray, 550-sheet input tray
Paper Handling Output, Standard	500-sheet output bin
Duplex Printing	Automatic (standard)
Finished Output Handling	Sheetfed
Media Sizes Supported	<ul style="list-style-type: none"> <li>• 100-sheet multipurpose Tray 1: Statement, 3 x 5 index card, 4 x 6 index card, 5 x 7 index card, 5 x 8 index card, Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch</li> <li>• 100-sheet multipurpose Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS), Dpostcard (JIS), Envelopes: B5, C5, C6, DL</li> <li>• 550-sheet input Tray 2: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS)</li> </ul>

	<ul style="list-style-type: none"> <li>• 2x550 tray and stand: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS)</li> </ul>
Media Sizes, Custom	<ul style="list-style-type: none"> <li>• 100-sheet multipurpose Tray 1: 2.5 x 5 to 12.6 x 18 in</li> <li>• 550-sheet input Tray 2: 5.8 x 5.8 to 11.7 x 17 in</li> <li>• 2x550 tray and stand: 5.8 x 5.8 to 12.6 x 18 in</li> </ul>
Media Types	Paper (plain, heavy, extra heavy, glossy, light, recycle, tough), envelopes, labels, glossy film, cardstock, transparencies
Supported Media Weight	<ul style="list-style-type: none"> <li>• 100-sheet multipurpose Tray 1: 16 to 80 lb</li> <li>• 550-sheet input Tray 2: 16 to 68 lb</li> <li>• 2x550 tray and stand: 16 to 68 lb</li> </ul>
Media Weights by Paper Path	<ul style="list-style-type: none"> <li>• 100-sheet multipurpose Tray 1: 60 to 300 g/m<sup>2</sup></li> <li>• 550-sheet input Tray 2: 60 to 256 g/m<sup>2</sup></li> <li>• 2x550 tray and stand: 60 to 256 g/m<sup>2</sup></li> </ul>
Power	Input voltage: 100 V to 127 V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 12 A; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier.
Power Consumption	870 watts (printing), 77 watts (Ready), 0.7 watts (Sleep), 0.7 watts (Auto-Off/Auto On), 0.08 watts (Auto-Off), 0.08 watts (Off)
Energy Efficiency	CECP; Blue Angel; EPEAT® Silver registered; ENERGY STAR® certified
Operating Temperature range	50 to 90.5°F
Operating Humidity Range	30 to 70% RH
FCC	FCC Class A emissions - for use in commercial environments, not residential environments
Dimension (W x D x H)	21.89 x 24.02 x 20.47 in (printer) + 38.82 x 25.94 x 12.83 in (2x550 tray and stand)
Weight	115.3lb (printer) + 62.0lb (2x550 tray and stand)
What's in the Box	Color LaserJet Enterprise printer; Black Original LaserJet Toner Cartridge (~16,000 pages), Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~13,000 pages each), and 4 Original LaserJet Imaging Drums (~65,000 pages each color); Getting started Guide; 1 Power cord
Sustainability Impact	Mercury free
Dynamic Security	Dynamic security enabled printers are intended to work only with cartridges that have a new or reused chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-[brand] chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused [brand] chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.
Warranty	<ul style="list-style-type: none"> <li>• At least 1-year parts and labor, 1-year onsite support on ALL parts of the package, both internal and external.</li> <li>• The service must include phone support during business hours.</li> <li>• A temporary replacement unit must be provided if the unit cannot be repaired within one working day.</li> </ul>

**Note:** Specifications, features, and functions being offered by the bidders will be included in the evaluation of the bid.

**Total estimated price: ₱ 345,000.00/unit**

Noted by:

Approved by: