

PHILIPPINE INSTITUTE FOR DEVELOPMENT STUDIES 18th Floor Three Cyberpod Centris-North Tower EDSA Quezon City Tel No. 8877-4013/4006: Fax 8877-4099: TIN # 000-844-550

REQUEST FOR QUOTATION

Date: September 30, 2024 Reference No (PR No.): 2024-316

To All Interested Bidders:

This is to request for quotation on the PIDS procurement requirement enumerated hereunder. If you are interested and, in a position, to furnish the same, we shall be glad to have your best price, terms and conditions of delivery, submitted not later than **04 October 2024 (5:00PM)** addressed to the *Procurement Management Division of the Administrative and Finance Department* at the abovementioned address. PIDS reserves the right to reject any and/or all bids, declare failure of bidding, or not award the contract under the conditions specified in Section 41 of the 2016 Revised IRR of RA 9184.

The price quotation/s, to be denominated in Philippine peso, **shall include all applicable taxes**, duties, and/or levies payable.

Very truly yours,

July R. Yulng CAO, Procurement Management Division

PhilGEPS Registration Number

Item	Qty	UOM	Articles/Description	Unit Cost	Total Cost
1	9	units	Supply and delivery of Wireless Routers, See attached specifications. ABC – PhP270,000.00		

Requirements:

- Valid Mayor's/Business Permit
- PhilGEPS Registration No. (if **PhilGEPS Platinum Certificate** is provided, Mayor's/Business Permit is no longer required, as long as the attached permit in the Certificate is valid.)
- Notarized Omnibus Sworn Statement

Email Address

The price and details of the above offer are certified correct:

Name of Firm (*Bidder*)

Signature over Printed Name of *Bidder's Representative*Address

Business Permit No.

Telephone *and/or Mobile No.*Tax Identification *Number (TIN)*

Note: PIDS is evaluating its supplier's performance based on the quality of services rendered or goods delivered, timeliness of delivery, customer/after sales service and overall quality of service.

<u>Wireless Routers Technical Specifications</u> – 9 units

N etwork	• IEEE 802.11ax		
Standard	• IPv4		
	• IPv6		
Product Segment	AX11000 ultimate AX performance		
	• 2.4GHz AX: 4x4 (Tx/Rx) 1024 QAM 20/40MHz, up to 1148Mbps		
WiFi Data Rate	• 5G-1Hz AX: 4x4 (Tx/Rx) 1024 QAM 20/40/80/160MHz, up to 4804Mbps		
	• 5G-2Hz AX: 4x4 (Tx/Rx) 1024 QAM 20/40/80/160MHz, up to 4804Mbps		
Antenna	External Antenna x 8 (non-detachable)		
	• 2.4GHz 4x4		
Transmit/Receive	• 5GHz-1 4x4		
	• 5GHz-2 4x4		
Processor	• 2.0GHz quad-core processor		
Memory	• 256MB NAND flash and 1GB DDR4 RAM		
•	OFDMA (Orthogonal Frequency Division Multiple Access)		
	Beamforming: standard-based and universal		
Boosts Speed	• 1024-QAM high data rate		
	• 20/40/80/160 MHz bandwidth		
Operating			
Frequency	• Tri-band Wi-Fi: 2.4 GHz / 5 GHz-1 / 5 GHz-2		
Operating Mode	Router (Mesh router), Mesh node, Access point, Repeater, Media bridge		
Operating wode	• 1 x 2.5 Gigabit WAN Port		
	• 1 x 10 Gigabit WAN/LAN Port		
I/O Ports	• 4 x Gigabit LAN Ports		
I/O FOILS	• 1 x USB 3.2 Gen 1 Port		
Duttons	• 1 x USB 2.0 Port		
Buttons	WPS Button, LED Button, Reset Button, Power Switch		
	• 1 x Power		
	• 1 x 2.4G		
	• 1 x 5GHz-1		
LED Indicator	• 1 x 5GHz-2		
	• 1 x WPS		
	• 1 x 10GE		
	• 1 x LAN		
	• 1 x WAN		
Power Supply	• AC Input: 110V~240V(50~60Hz)		
1 Ower Supply	• DC Output: 19 V with max. 3.42 A ;19.5 V with max. 3.33 A		
	WiFi Router		
	• RJ-45 Cable		
Package Content	Power Adapter		
	Quick Start Guide		
	Warranty Card		
	Allow you to block access to unwanted websites and apps		
Danamtal Camtual	Parental Control Customized Internet Schedule		
Parental Control	Maximum Parental Control Profile: 64		
	Maximum Parental Control Content Filter Rule: 64		
	The Guest Network provides Internet connection for guests but restricts access to your local		
	network		
Guest Network	Maximum Guest Network Rule: 2.4 GHz x 3, 5 GHz-1 x 3, 5 GHz-2 x 3		
	Guest Network Connection time limit		
	Guest Network Encryption: Open system, WPA/WPA2-Personal/WPA3-Personal		
	WiFi Encryption: WPA3 Personal, WPA2 Personal, WPA Personal		
Security	WPA Enterprise, WPA2 Enterprise, Open System		
	• WPS		
L	1 222		

	• Let's Encrypt
	• DNS-over-TLS
	• SSH
	Security Scan
	Firewall
	Maximum Firewall Keyword Filter: 64
	Maximum Firewall Network Service Filter: 32
	Maximum Firewall URL Filter: 64
	Router Security Assessment
Protection	Malicious Site Blocking
Protection	• Two-Way IPS
	Infected Device Prevention and Blocking
	VPN Client L2TP
	VPN Client Open VPN
	VPN Client PPTP
	VPN Client WireGuard
VPN	VPN Server IPSec
	VPN Server Open VPN
	VPN Server PPTP
	VPN Server WireGuard
	VPN Fusion
	Adaptive QoS
	o Bandwidth Monitor
	o Bandwidth Limited
	Maximum Bandwidth Limiter Rule: 32
	Traditional QoS
Traffic Control	Traffic Monitor
Trame control	Real-time Traffic Monitor
	Wired Traffic Monitor
	Wireless Traffic Monitor
	Traffic Analyzer
	 Traffic Analysis Period: Daily, Weekly, Monthly
	Website History
	Internet Connection Type: Automatic IP, Static IP, PPPoE, PPTP, L2TP
	Dual WAN
	WAN Aggregation
	• 3G / 4G LTE Dongle
	• 4G / 5G Auto Mobile Tethering
	• Port Forwarding
WAN	Maximum Port Forwarding Rule: 64
	Port Triggering
	Maximum Port Triggering Rule: 32
	DMZ
	• DDNS
	NAT Passthrough: PPTP, L2TP, IPSec, RTSP, H.323, SIP Passthrough, PPPoE relay
	DHCP Server
	IGMP Snooping
	• IPTV
LAN	LAN Link Aggregation
	Manually Assign IP Address
	 Maximum Manually Assign IP Address Rule: 128
	Wake on LAN (WOL)
	• MU-MIMO
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	• UTF-8 SSID
Wireless	WiFi MAC Address Filter
	Maximum MAC Filters: 64
	- maximum to the control of

- Wireless Scheduler
- Airtime Fairness
- RADIUS Client
- Universal Beamforming
- Explicit Beamforming
- 4G / 5G Auto Mobile Tethering
- File System: HFS+, NTFS, vFAT, ext2, ext3, ext4
- Safely Remove Disk
- Cloud
- Download Master

USB Application

- Disk
- Media Server
- Time Machine
- Samba Server
- FTP Server
- Shared Folder Privileges
- Configuration Backup and Restore
- Diagnosis Tools
- Feedback System

Administration

- System Log
- New Device Connect Notification
- Login Captcha
- Connection Diagnosis
- Auto Firmware Update
- 1-year parts and labor, 1-year onsite support on ALL parts of the package, both internal and external.

Warranty

- The service must include phone support during business hours.
- A temporary replacement unit must be provided if the unit cannot be repaired within one working day.

Note: Specifications, features, and functions being offered by the bidders will be included in the evaluation of the bid.

Total estimated price: ₽ 30,000.00/unit

Conforme:							
Name and Sign	ature						